Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX.

A.

Abutilon aurantiacum, 357.
  Berlandieri, Gray, 358.
  Lemmoni, 357.
  Parishii, 357.
  Wrightii, 357.
Acalypha mollis, HBK., 373.
  Pringlei, 373.
  vagans, 373.
Acerates bifida, Rusby, 296.
Æcidium columnare, 322.
  pseudo-columnare, 322.
Air, upper, on obtaining the electric potential of the, 459.
Aluminum, on the separation of titanium and, with a note on the separation of titanium and iron, 435.
Angelica Dawsoni, 369.
Anoplocaryum, Ledeb., 261.
Anthracene filter, 391, 392.
Anthracomarti, Karsch, 13, 14, 15.
Anthracomartus, Karsch, 14, 17.
  Krejcii, 17.
  pustulatus, 18.
  trilobitus, 17.
  Völkelianus, Karsch, 14, 17.
Antiphytum, 265.
Antirrhinum subcordatum, 306.
Aphyllon Cooperi, 307.
Aplopappus Orcuttii, 297.
Apparatus, self-recording, 453.
Arabis retrofracta, 353.
  subpinnatifida, 353.
Arachnida, paleozoic, a contribution to our knowledge of, 13.
Araneæ, 13, 22.
Architarboidæ, Karsch, 14, 16.
Architarbus, Scudder, 14, 17.
  rotundatus, Scudder, 14, 17.
  silesiacus, Roemer, 14, 17.
  subovalis, Woodward, 14, 17.
Arenaria Howellii, 354.
Aristolochia subclausa, 372.
Arizona, California, and their Mexican borders, new genera of, and two additional Asclepiadaceæ, 290.
Arthrolycosa, Harger, 15.
  antiqua, Harger, 15.
Arthrolycosidæ, Harger, 15.
Asbestos filter, 390.
Asclepiadaceæ, two additional genera of, 290, 294, 295.
Astacus Colchicus, 158.
  Dauricus, 151.
  fluviatilis, 155.
  Gambelii, 152.
  Japonicus, 149.
  Klamathensis, 151.
  leniusculus, 151.
  leptodactylus, 157.
  nigrescens, 152.
  pachypus, 158.
  pallipes, 154.
  Schrenckii, 151.
  torrentium, 153.
  Trowbridgii, 152.
Astacus and Cambarus, descriptions of new species of, to which is added a synonymical list of the known species, 107.
Astacus, list of the known species of Cambarus and, 135.
Astragalus acutirostris, 360.
  castaneæformis, 361.
  Congdoni, 360.
  fallax, 362.
  Fendleri, 362.
  gracilentus, 363.
  Greenei, Gray, 363.
  Mohavensis, 361.
  Orcuttianus, 361.
  procumbens, 361.
  troglodytus, 362.

Atamisquea emarginata, Miers, 354.
Atmospheric electricity, 448.
    apparatus, self-recording, 453.
    battery, the, 454.
    collector, the, 455.
    collector, mechanical, 456.
    deflections, table of, 461.
    electrometer, multiple quadrant, 451.
    electrometers, 448.
    galvanometer, the, 453.
    observations, 459.
    on obtaining the electric potential of the upper air, 459.
Atriplex julacea, 370.
Aulophorus vagus, on the anatomy and histology of, 88.
    alimentary canal, the, 94.
    body walls, the, 92.
    connective-tissue cells, 94.
    explanation of figures, 105.
    general description and habits, 89.
    literature, 104.
    material and methods, 88.
    nervous system, the, 101.
    respiratory organs, the, 101.
    segmental organs, 104.
    vascular system, the, 99.

B.

Barrande, J., letters, 181, 182, 193, 196, 197, 203, 204, 206, 207, 211, 220.
Bentham, George, notice of, 527.
Billings, E., letters, 185, 187, 201.
Bloomeria aurea, 376.
    Clevelandi, 376.
Boerhaavia bracteosa, 370.
Borneol from camphor, method for preparation of, 165.
Borneol, on the reduction of camphor to, 163.
Borragineous genera, a revision of some, 257.
Bothriospermum, Bunge, 262.
Breyeria, De Borre, 168, 170.
    borinensis, De Borre, 171.
    elongata, 171.
Brickellia Nevinii, 297.
Brodiæa Lemmonæ, 376.
Brongniartia minutifolia, 360.

C.

Cæoma Abietis-Canadensis, 323.
    Abietis-pectinatæ, Rees, 323.
Calandrinia Cotyledon, 355.
    Leana, 356.
    oppositifolia, 355.
California, Arizona, and their Mexican borders, new genera of, and two additional Asclepiada 290.
Calliandra Portoricensis, 364.
    Schottii, Torrey, 364.
Calydorea Texana, Baker, 375.
Calyptridium quadripetalum, 356.
    roseum, 356.
Camassia esculenta, Lindl., 376.
    Leichtlinii, 376.
Cambarus, 108.
    acuminatus, 113, 144.
    advena, 140.
    affinis, 146.
    Alabamensis, 125, 146.
    Alleni, 110, 138.
    angustatus, 137.
    argillicola, 115, 144.
    Bartonii, 142.
    Blandingii, 135.
    Carolinus, 140.
    Clarkii, 136.
    compressus, 127, 146.
    cornutus, 120, 145.
    Cubensis, 142.
    Diogenes, 144.
    dubius, 114, 145.
    extraneus, 145.
    fallax, 136.
    forceps, 133, 148.
    Girardianus, 117, 145.
    gracilis, 141.
    hamulatus, 145.
    Harrisonii, 130, 147.
    Hayi, 108, 136.
    immunis, 146.
    Jordani, 119, 145.
    lancifer, 146.
    latimanus, 144.
    Lecontei, 137.
    maniculatus, 137.
    medius, 121, 145.
    Mexicanus, 141.
    Mississippiensis, 123, 146.
    Montezumæ, 149.
    Nebrascensis, 145.
    obscurus, 148.
    Palmeri, 124, 146.

Cambarus pellucidus, 139.
  penicillatus, 138.
  propinquus, 147.
  pubescens, 109, 137.
  Putnami, 131, 148.
  robustus, 143.
  rusticus, 148.
  Sanbornii, 128, 147.
  Shufeldtii, 134, 149.
  simulans, 112, 140.
  Sloanii, 147.
  spiculifer, 138.
  spinosus, 148.
  troglodytes, 136.
  Uhleri, 116, 145.
  versutus, 138.
  virilis, 147.
  Wiegmanni, 138.
Cambarus and Astacus, list of the known species of, 135.
Cambarus, descriptions of new species of; to which is added a synonymical list of the known species of Cambarus and Astacus, 107.
Camphor, method for the preparation of borneol from, 165.
Camphor to borneol, on the reduction of, 163.
Carum Gairdneri, 368.
  Oreganum, 368.
Cassiope oxycoccoides, 300.
Cedronella breviflora, 309.
  cana, Hook., 310.
  pallida, Lindl., 310.
Cerastium sericeum, 354.
Cereus giganteus, 368.
  Pringlei, 368.
Chænactis Parishii, 299.
  suffrutescens, Gray, 299.
Chrysomyxa, 320, 322.
  Ledi, 320, 321, 322.
  Rhododendri, 320.
Chrysomyxa of the United States, notes on some species of Gymnosporangium and, 311.
Cimicifuga Arizonica, 352.
  elata, 352, 353.
  laciniata, 352.
Cobalt, the effect of temperature on the magnetic permeability of iron and, 462.
  dimensions of the rings, 465.
  shielding of magnetic influence, 471.
  tables, 465–470.
Communications,—
  Alexander Agassiz, 23.
  W. G. Farlow, 311.
  Walter Faxon, 107.
  Asa Gray, 1, 8, 257.
  F. A. Gooch, 390, 435.
  C. Loring Jackson, 163.
  Jules Marcou, 174.
  Alexander McAdie, 448.
  Austin L. McRae, 448, 462.
  Charles Bingham Penrose, 417.
  Edward C. Pickering, 393, 407.
  William H. Pickering, 159, 473, 478, 483.
  Jacob Reighard, 88.
  W. A. Rogers, 379.
  Samuel Scudder, 13, 167.
  John Trowbridge, 462, 494.
  Sereno Watson, 324.
  A. G. Webster, 490.
  C. O. Whitman, 23, 76.
Convolvulus pentapetaloides, L., 305.
Cowania Havardi, 364.
Cristaria, 356.
Croton Pringlei, 373.
Cuphea glutinosa, Cham. & Schlecht., 365.
Curculioides Ansticii, Buckl., 17.
  Prestvicii, Buckl., 19.
Cyclophthalmus, Corda, 22.
  senior, Corda, 14, 22.
Cymopterus alpinus, 369.
  bipinnatus, 368.
  fœniculaceus, 369.
Cynoglossum, Tourn., 258.

D.

Dalea canescens, 359.
  megacarpa, 359.
  Orcuttii, 359.
  rubescens, Watson, 360.
Desmodium Arizonicum, 363.
Dicliptera pseudoverticillaris, 308.
  resupinata, Juss., 308.
  Torreyi, 309.
Dictyoneura and the allied insects of the carboniferous epoch, 167.
Dictyoneura, Gold., 168, 169.
  affinis, 170.
  Humboldtiana, Gold., 170.
  Schmitzii, Gold., 170.
  sinuosa, Kliv., 170.
Draba Howellii, 354.

Dry plates, photographic, a method of measuring the absolute sensitiveness of, 159.

E.

Echidiocarya, 286.
  Arizonica, 286.
Echinoglochin, Gray, 259.
Echinospermum, Lehm., 258.
Electric potential of the upper air, on obtaining the, 459.
Electricity, atmospheric, 448.
Electrometer, multiple quadrant, **451**.
Electrometers, 448.
Ellisia Torreyi, 302.
Emmons, E., letters, 184, 186, 188, 189, 190.
Energy, superficial, and thermo-electricity, relation between, 417.
  surface, two ways of considering, 417.
  between two media, 421.
Eophrynoidæ, Karsch, 14, 18.
Eophrynus, Woodward, 19.
  Prestvicii, Woodward, 14, 19.
  Salmi, Stur, 19.
Eoscorpionidæ, 21.
Eoscorpius, Meek and Worthen, 21.
  anglicus, Woodward, 14, 22.
  carbonarius, Meek and Worthen, 14, 21.
  euglyptus, Peach, 22.
  glaber, Peach, 22.
  inflatus, Peach, 22.
  tuberculatus, Peach, 22.
Erigeron nudatus, 297.
Eriogonum arborescens, Greene, **371**.
  corymbosum, 371.
  foliosum, 371.
  giganteum, 371.
  gracile, 372.
  hirtiflorum, Gray, 370.
  Orcuttianum, 371.
  suffruticosum, 370.
  vagans, 370.
Eritrichium, Schrad., 260.
Euphorbia Rattani, 372.
Eureka quartzite, 231, 233, 234, 235.
Eustis, Henry Lawrence, notice of, 513.
Exposers, photographic, methods of determining the speed of, 478.
Exposers, photographic, principles involved in the construction of, 483.
  (1.) Position of the exposer, 483.
  (2.) Construction of the exposer, 484.
  (3.) Shape of the aperture in the exposer, 484.
  (4.) Motive power, 488.
Exposures, instantaneous, apparatus for measuring, 480.

F.

Faunæ, Infra-Primordial, Primordial, and Supra-Primordial, 228, 255.
Fellows, Associate, deceased: —
  Alpheus S. Packard, 505.
  Benjamin Silliman, 513.
Fellows, Associate, elected: —
  Cleveland Abbe, 506.
  Albert A. Michelson, 508.
Fellows, Associate, List of, 544.
Fellows deceased: —
  Samuel Cabot, 511.
  George B. Dixwell, 511.
  Henry L. Eustis, 513.
  Robert W. Hooper, 511.
  Edward Jarvis, 506.
Fellows elected: —
  William Morris Davis, 506.
  William Leslie Hooper, 506.
  Alonzo Smith Kimball, 501.
  Augustus Lowell, 511.
  Edward Laurens Mark, 506.
  Lewis Mills Norton, 511.
  Benjamin Osgood Peirce, 506.
  Denman Waldo Ross, 508.
  Edwin Forrest Sawyer, 511.
  Harold Whiting, 506.
Fellows, List of, 541.
Filter, anthracene, 391, 392.
  asbestos, 390.
Filtration by means of easily soluble and easily volatile filters, a method of, 390.
Fish eggs, pelagic, on the development of some, 23.
Foreign Honorary Members deceased: —
  George Bentham, 505.
  Karl R. Lepsius, 505.
  Mark Pattison, 505.
  Carl T. E. von Siebold, 511.

Foreign Honorary Members elected: —
  Adolf Baeyer, 506.
  Heinrich Ernst Beyrich, 506.
  August Wilhelm Eichler, 508.
  Louis Charles Joseph Gaston, Marquis de Saporta, 508.
  Gaston Camille Charles Maspero, 509.
  Edward Schönfeld, 501.
  François Jules Simon, 506.
  Hans Peter Jörgen Julius Thomsen, 506.
  Heinrich Wild, 511.
Foreign Honorary Members, List of, 546.
Franseria flexuosa, 298.

G.

Galvanometer, the, 453.
Gamopetalæ Miscellaneæ, 297.
Gelasine Texana, Herbert?, 375.
Gelatine dry plates, 473.
Georgia slates, 210, 217, 218, 224, 232.
Geralinura, 19.
  carbonaria, 19.
Geraphrynus, 16.
  carbonarius, 16.
Gilia bella, 301.
  glomeriflora, Benth., 302.
  Macombii, Torr., 301.
  multiflora, Nutt., 302.
Goldenbergia, 168, 171.
  Decheni, 171.
  elongata, 171.
  formosa, 172.
  Heeri, 172.
  nigra, 171.
Group, Champlain, 217, 219, 231.
  Hudson River, 180.
  Phillipsburgh or Point Lévis, 217, 218, 224, 231.
  St. Albans, 217, 218, 224, 231.
  St. John or Arcadian, 224, 225.
  Tonto, 229.
Gymnosporangium, 311, 314, 316, 318.
  biseptatum, 313, 315, 316, 317, 318, 319.
  clavariæforme, DC., 316.
  clavipes, 313, 315, 316, 317, 319.
Gymnosporangium conicum, DC., 316.
  Ellisii, 313, 315, 316, 317.
  fuscum, DC., 316.
  fuscum var. globosum, 312, 314, 316, 317, 318, 319, 320.
  macropus, 313, 314, 315, 316, 317, 319.
  comments on cultures, 314.
Gymnosporangium and Chrysomyxa of the United States, notes on some species of, 311.

H.

Haplophlebium, Scudder, 168, 172.
  Barnesii, Scudder, 172.
  longipennis, 172.
Hastingsia alba, 377.
  bracteosa, 377.
Hauya Californica, 366.
Heat, on a new method for determining the mechanical equivalent of, 490.
Hechtia glomerata, Zucc., 375.
  Texensis, 374.
Helianthus Oliveri, 299.
  tephrodes, Gray, 298.
Heuchera racemosa, 365.
Himantostemma, 294.
  Pringlei, 294.
Homalocaryum, A. DC., 259.
Horkelia sericata, 364.
Hosackia nana, 359.

I.

Insects of the carboniferous epoch, Dictyoneura and the allied, 167.
Iris bracteata, 375.
Iron and cobalt, the effect of temperature on the magnetic permeability of, 462.
Ivesia Lemmoni, 365.
  pinnatifida, 364.

J.

Jarvis, Edward, notice of, 519.

K.

Kreischeria, Geinitz, 18.
  Wiedei, Geinitz, 14, 18.
Krynitzkia, Fisch. & Meyer, 260, 264.
  affinis, 270.
  alyssoides, 280.
  ambigua, 273.
  angustifolia, 272.
  barbigera, 273.
  Californica, 266.
    var. subglochidiata, 266.
  Chorisiana, 267.
  circumscissa, 275.
  clandestina, 280.
  Cooperi, 267.
  crassisepala, 268.
  dumetorum, Greene, 272.
  Fendleri, 268.
  floribunda, 265.
  fulvocanescens, 280.
  glomerata, 279.
  heliotropioides, 265.
  holoptera, 276.
  intermedia, 273.
  Jamesii, 278.
  Jonesii, 274.
  leiocarpa, Fisch. & Meyer, 270.
  leucophæa, 280.
  linearis, 280.
  linifolia, 266.
  lithocarya, Greene, 265.
  micrantha, 275.
    var. lepida, 275.
  micromeres, 274.
  microstachys, Greene, 269.
  mollis, 267.
  muriculata, 273.
  obovata, 265.
  oxycarya, 269.
  oxygona, 277.
  Palmeri, 278.
  Parryi, 265.
  Pattersoni, 268.
  phacelioides, Fisch. & Meyer, 280.
  plebeia, 266.
  pterocarya, 276.
  pusilla, 274.
  ramosa, 274.
  ramosissima, 277.
  Scouleri, 267.
  sericea, 279.
  setosissima, 276.
  tenuifolia, 267.
  Texana, 268.
Krynitzkia Torreyana, 271.
    var. calycosa, 271.
  trachycarpa, 266.
  virgata, 279.
  Watsoni, 271.

L.

Lachnostoma Arizonicum, 296.
Lathyrus Bolanderi, 363.
  Californicus, 363.
  venosus, 363.
Leech, the external morphology of the, 76.
  explanation of figures, 87.
  Hirudo and allied genera, 80.
  postscript, 86.
  segmental sense-organs of the, 77.
Length, an examination of the standards of, constructed by the Société Génevoise, 379.
Light, a standard of, 494.
Lilium Bolanderi, 377.
Limestone, Chazy, 192, 209, 214, 217, 220.
  Hamburg, 231, 232.
  Lone Mountain, 231, 234.
  Pogonip, 231, 233.
  Trenton, 209, 217, 220.
Lindelofia, Lehm., 258.
Liphistioidæ, Thor., 13, 22.
Litoneura, 168, 169.
  anthracophila, 169.
  laxa, 169.
  obsoleta, 169.
Lœselia guttata, 302.
Lupinus Orcuttii, 359.
Lycium exsertum, 305.
  Macrodon, Gray, 306.
  Palmeri, Gray, 306.
  Parishii, 305.
  Pringlei, 305.
Lyonothamnus, 291.
  floribundus, 292.

M.

Malvastrum densiflorum, 356.
  foliosum, 356.
Mazonia, Meek and Worthen, 22.
  Woodiana, Meek and Worthen, 14, 22.
Melampsora sparsa, Winter, 323.

Mentzelia Brandegei, 367.
    involucrata, 367.
    tricuspis, 367.
Metamorphic rocks, 180.
Meters, examination of, 379.
Mexican borders, new genera of Arizona, California, and their, and two additional Asclepiadaceæ, 290.
Microlabis Sternbergi, Corda, 14, 52.
Microseris Howellii, 300.
Microula, Benth., 261.
Mimulus exiguus, 307.
    Rattani, 307.
Moltkia (cœrulea), Lehm., 257.
Morphology of the leech, external, the, 76.

N.

Nama depressum, Lemmon, 304.
    Havardi, 304.
    pusillum, Lemmon, 305.
Nebula of Orion, a photographic study of the, 407.
Neuroptera, 167.

O.

Œnothera arborea, 367.
    Havardi, 366.
Omphalodes, Tourn., 259, 262.
    aliena, Gray, 262.
    cardiophylla, Gray, 263.
    Howardi, 263.
    nana, 263.
        var. aretioides, 263.
        var. Chamissonis, 263.
    rupestris, 264.
    Schrenkii, 264.
    villosa, 264.
Opiliones, 13.
Orion, a photographic study of the Nebula of, 407.
    tables, 408–416.
Ornithogalum Leichtlinii, Baker, 376.
Oxytheca inermis, Watson, 370.
Oxytropis, DC., 1.
    arctica, R. Br., 4.
    campestris, L., 6.
        var. cærulea, Koch, 6.
    deflexa, DC., 1.
    Lagophus, Nutt., 2.
Oxytropis Lamberti, Pursh, 6.
        var. Bigelovii, 7.
        var. sericea, 7.
    leucantha, Pers., 5.
    Mertensiana, Turcz., 4.
    monticola, 6.
    multiceps, Nutt., 2.
        var. minor, 2.
    nana, Nutt., 2.
    nigrescens, Fischer, 3.
        var. arctobia, 3.
    oreophila, 3.
    Parryi, 4.
    podocarpa, Gray, 3.
    splendens, Dougl., 7.
    viscida, Nutt., 5.
Oxytropis, DC., a revision of the North American species of the genus, 1.

P.

Packard, Alpheus Spring, notice of, 522.
Palaranea, Fritsch, 22.
    borassifolia, Fritsch, 22.
Paleozoic Arachnida, a contribution to our knowledge of, 13.
Paleozoic rocks of Sweden, tabular view of the lower, 239.
    of Norway, 240.
Paolia, Smith, 168, 172.
    Gurleyi, 173.
    Lacoana, 173.
    superba, 173.
    vetusta, Smith, 173.
Paracaryum, 258.
Pattison, Mark, notice of, 539.
Pedicularis Howellii, 307.
Pedipalpi, Latreille, 19.
Pelagic fish eggs, on the development of some, 23.
    blastodisc and periblast, 42.
    blastodisc, the growth of the, at the expense of the periblast, 46.
    cleavage, 41.
    cleavage-cavity, the, 63.
    cleavage, irregularities of, 59.
    cleavage phenomena, other, 60.
    cleavage-planes, the order and direction of, 57.
    cleavage, the velocity of, 45.
    embryo, the formation of the, 73.

Pelagic fish eggs, embryo, the relation of the median plane of the, to the first plane of the cleavage, 74.
  entoderm, the origin of the, 66.
  explanation of figures, 75.
  germ layers, the, 63.
  Kupffer's vesicle, 71.
  methods, 28.
  neurenteric canal, 73.
  nuclei, 62.
  ovum, general remarks on, 30.
  periblast, the, 63.
  periblastic cells, origin of, 54.
  pronuclei, 44.
  secondary caudal vesicles, 73.
Pentstemon Havardi, 306.
  nudiflorus, 306.
Peridermium, 322.
  abietinum, 320, 322.
  balsameum, Peck, 322.
Peucedanum Howellii, 369.
  Suksdorfii, 369.
Phacelia Arizonica, Gray, 303.
  invenusta, 303.
  ixodes, Kellogg, 303.
  Lyoni, 303.
  Popei, Torr. & Gray, 303.
  Rattani, 302.
  saxicola, 304.
Phasmida, 167.
Phaulothamnus, 293.
  spinescens, 294.
Photographic dry plates, a method of measuring the absolute sensitiveness of, 159.
  sensitiveness of, table, 162.
Photographic exposers, methods of determining the speed of, 478.
Photographic exposers, principles involved in the construction of, 483.
Picea Breweriana, 378.
Plagiobothrys, Fisch. & Meyer, 261, 281.
  Arizonicus, Greene, 284.
  canescens, Benth., 284.
  Cooperi, 285.
  glomeratus, 286.
  hispidus, 286.
  Kingii, 281.
  nothofulvus, 285.
  procumbens, 283.
  rufescens, Fisch. & Meyer, 282.
  Shastensis, Greene, 284.
  tenellus, 283.
Plagiobothrys tinctorius, 283.
  Torreyi, 284.
  ursinus, 286.
Plants, chiefly from our Western territories, descriptions of some new species of, 352.
Poliochera, 16.
  punctulata, 16.
Poliocheridæ, 16.
Polioptenus, 168, 170.
Pringleophytum, 292.
  lanceolatum, 293.
Protolycosa, Roemer, 22.
  anthracophila, Roemer, 14, 22.
Protophasma, Brongniart, 170.
  Dumasi, Brong., 170.

R.

Rhus integrifolia, 358.
  ovata, 358.
Rœstelia, 311, 316, 317, 318, 319, 320.
  aurantiaca, 318, 319.
  botryapites, 318, 319.
  lacerata, 318, 319.
  penicillata, 318, 319.
  transformans, 315, 319.
Rosa acicularis, 330, 334, 337, 339, 340.
  Aleutensis, 334, 342.
  alpina, 330.
  Arkansana, 333, 337, 341.
  arvensis, 330.
  blanda, 326, 327, 330, 337, 339, 341.
  Bourgeauiana, 334.
  bracteata, 352.
  Californica, 331, 334, 337, 343.
  canina, 325, 328, 351.
  Carelica, 339.
  Carolina, 325, 326, 328, 338, 346.
  Carolinensis, 326.
  Caroliniana, 327.
  Cherokeensis, 329, 352.
  cinnamomea, 329, 332.
  corymbosa, 326, 346.
  Durandii, 334, 342.
  enneaphylla, 328.
  Evratina, 328.
  Fendleri, 334, 337, 344.
  fenestrata, 329, 350.
  flexuosa, 328, 330, 351.
  florida, 329.

Rosa foliolosa, 332, 338, 345, 349.
  fragrans, 327.
  fraxinifolia, 327, 330, 339.
  gemella, 327, 330.
  gymnocarpa, 332, 338, 350.
  Hudsoniana, 329, 346.
  humilis, 324, 326, 327, 338, 348.
  Kamtschatica, 334.
  lævigata, 327, 332, 352.
  laxa, 329, 330, 347.
  Lindleyi, 330, 347.
  lucida, 324, 326, 327, 338, 347, 348.
  lutea nigra, 330.
  lutescens, 328.
  Lyonii, 328, 348.
  majalis, 330, 332.
  Maximiliani, 332, 345.
  Mexicana, 335, 338, 349.
  micrantha, 351.
  minutifolia, 334, 338, 346.
  Montezumæ, HBK., 329, 351.
  moschata, 334.
  mutabilis, 330, 350.
  nitida, 327, 338, 348.
  nivea, 330.
  Nutkana, 330, 333, 337, 341.
  palustris, 326, 346.
  parviflora, 326, 348.
  pendulina, 324, 328, 330.
  Pennsylvanica, 326, 327, 329, 330.
  pimpinellifolia, 334.
  pisocarpa, 333, 337, 342.
  Raffinesquejana, 328, 330.
  Rafinesquii, 330.
  rapa, 328.
  repens, 334.
  rubifolia, 328, 350.
  rubiginosa, 328, 351.
  rubrispina, 328, 348.
  Sayi, 331, 332, 337, 340.
  setigera, 326, 327, 330, 338, 349.
  Sinica, 352.
  Solandri, 330, 339.
  spithamæa, 334, 344, 350.
  Sprengeliana, 330.
  stricta, 329, 332.
  suaveolens, 328, 351.
  Virginiana, 325, 326.
  Virginica, 330.
  Woodsii, 329, 338, 345.
Roses of North America, a history and revision of the, 324.
Rothrockia, 295.
  cordifolia, 295.

S.

Sageretia Michauxii, 358.
  Wrightii, 358.
Salvia Lemmoni, 309.
Sandrock, Calciferous, 192, 210, 217, 219.
  Red, 215, 222, 234, 243.
Sandstone, Calciferous, 179.
  Lake Superior, 236.
  Potsdam, 175, 180, 210, 217, 219, 221, 234, 242.
Sapium salicifolium, Torr., 374.
Saxifraga bryophora, Gray, 9.
  Dahurica, Pall., 11.
  eriophora, S. Watson, 11.
  Forbesii, Vasey, 11.
  fragarioides, Greene, 12.
  hieracifolia, Waldst. & Kit., 11.
  leucanthemifolia, Michx., 9.
  Lyalli, Engler, 12.
  nudicaulis, Don, 12.
  peltata, Torr., 8.
  punctata, L., 12.
  ranunculifolia, Hook., 9.
  reflexa, Hook., 11
  stellaris, L.,9.
  Tolmæi, Torr. & Gray, 9.
  Unalaschensis, Sternb., 12.
  Virginiensis, Michx., 11.
Saxifraga, notes on some North American species of, 8.
Schweinitzia, 300.
  odorata, Elb., 301.
  Reynoldsiæ, 301.
Sclerocaryum, 259.
Scorpiones, 14.
Scorpiones, Thorell, 20.
Sebastiana (?) bilocularis, 374.
Sedum stelliforme, 365.
Sense-organs of the leech, segmental, the, 77.
Sida alata, 356.
Silicates, analysis of, 446.
Silliman, Benjamin, notice of, 523.
Silphium brachiatum, Gattinger, 297.
Spectrum, solar, photography of the infra-red region of the, 473.
Spraguea, 356.
Stars, the measurement of the colors of, 414.
Streptanthus Howellii, 353.
Superficial tension and electrical phenomena, Lippmann's experiments upon the relation between, 421.

Swanton slates, 210, 217, 219, 221, 222.
"Système Silurien du Centre de la Bohême," tabular view of the, 249.

T.

Taconic rocks of the Grand Cañon (Colorado), general and ideal section of the, 229.
"Taconic System," the, and its position in stratigraphic geology, 174.
  conclusion, 255.
  geographical distribution of the, — Norway, 235.
  historic: 1837–1881, 175.
  introduction, 174.
  lower part of the Eureka section, Nevada, 231.
  of Eureka (Nevada) and of the Grand Cañon of the Colorado River (Arizona), 229.
  summary of the, by Emmons, 178.
  tabular view of the, in Eastern North America, 224.
  vertical and general section of the: — Infra-Primordial, Primordial, and Supra-Primordial Faunæ, 221.
  vertical section [Lake Champlain] in Vermont, Canada, and New York, 217.
Taconic versus Cambrian and Silurian, 244.
Talinum brachypodum, 355.
Tension, superficial, and electrical phenomena, Lippmann's experiments upon the relation between, 421.
Termitina, 167.
Tetracoccus, Engelm., 372.
  Engelmanni, 373.
Thermo-electricity, relation between superficial energy and, 417.
Tigridia Dugesii, 375.
Titanium, aluminum, and iron, separation of, 446.
  and iron, methods of separating, 445.
  from aluminum, two methods of separating, 436.
  precipitation of, by an alkaline orthophosphate, 439.
Titanium and aluminum, on the separation of, with a note on the separation of titanium and iron, 435.
Titanophasma, Brongniart, 168.
  Fayoli, Brongn., 169.
  jucunda, 169.
  libelluloides, 169.
Trigonotis, Stev., 260.
Trillium rivale, 378.
Troguloidæ, 14.

U.

Uredo ledicola, Peck, 321.
Utica slate, 180, 209, 217, 220.
Utricularia ceratophylla, 288.
  cornuta, Michx., 287, 289.
  fornicata, 289.
  gibba, 289.
  integra, 289.
  juncea, Vahl, 288.
  longeciliata, A. DC., 290.
  longirostris, 289.
  macrorhiza, 288.
  personata, 289.
  purpurea, Walt., 289, 290.
  setacea, 289.
  simplex, C. Wright, 290.
  striata, 289.
  subulata, L., 290.
    var. cleistogama, 290.
Utricularia, notes on some American species of, 287.

V.

Variable stars in 1884, observations of, 393.
  Variable Stars, 396–403.
  Index to Designations, 404.
  Observations of Suspected Varibles, 406.
Veatchia, 290.
  Cedrosensis, 291.
Verbesina dissita, 299.
Vesicaria Kingii, 353.
  montana, 353, 354.
  occidentalis, 354.

W.

Warnerke sensitometer, 159.